

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

FIG. 1





FIG. 2



005250" 44827E60

FIG. 3

TYPE OF INPUT DEVICE		LUMINANCE				
		PATCH 1	PATCH 2	PATCH 3	PATCH 4
INPUT DEVICE A	R COMPONENT	##	##	##	##	##
	G COMPONENT	##	##	##	##	##
	B COMPONENT	##	##	##	##	##
INPUT DEVICE B	R COMPONENT	##	##	##	##	##
	G COMPONENT	##	##	##	##	##
	B COMPONENT	##	##	##	##	##
INPUT DEVICE C	R COMPONENT	##	##	##	##	##
	G COMPONENT	##	##	##	##	##
	B COMPONENT	##	##	##	##	##

INPUT DEVICE WHICH IS BEING SELECTED

FIG. 4

TYPE OF OUTPUT TARGET FILM		LUMINANCE				
		PATCH 1	PATCH 2	PATCH 3	PATCH 4
FILM A	R COMPONENT	##	##	##	##	##
	G COMPONENT	##	##	##	##	##
	B COMPONENT	##	##	##	##	##
FILM B	R COMPONENT	##	##	##	##	##
	G COMPONENT	##	##	##	##	##
	B COMPONENT	##	##	##	##	##
FILM C	R COMPONENT	##	##	##	##	##
	G COMPONENT	##	##	##	##	##
	B COMPONENT	##	##	##	##	##

FILM WHICH IS BEING SELECTED

FIG. 5





FIG. 7



0934744 44827E60

FIG. 6




FIG. 8




FIG. 9





FIG. 10



665250" 4482E60

FIG. 11





FIG. 12



55550-4482E60



FIG. 13**FIG. 14**

FIG. 15




FIG. 16







FIG. 17ALUT FOR CORRECTING COLOR FOG
AND CONTRAST**FIG. 17B**

LUT FOR DIGITAL DEVELOPMENT



665250-4482FE60

FIG. 18



00347844-052509

FIG. 19




FIG. 20




FIG. 21

PIXEL	R VALUE	G VALUE	B VALUE
IMG[0]	##	##	##
IMG[1]	##	##	##
IMG[2]	##	##	##
IMG[3]	##	##	##
IMG[4]	##	##	##
IMG[5]	##	##	##
IMG[6]	##	##	##
IMG[7]	##	##	##
:			
IMG[n]	##	##	##
:			

IMAGE DATA

INPUT DEVICE ID

IMAGE HEADER

FIG. 22




FIG. 23

